

ELEVATION CERTIFICATE

OMB No. 1660-0008
Expires March 31, 2012

Important: Read the instructions on pages 1-9.

SECTION A - PROPERTY INFORMATION

A1. Building Owner's Name James and Stephanie Girard		For Insurance Company Use:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 34 River Bend Circle		Policy Number
City Exeter State NH ZIP Code 03833		Company NAIC Number
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Tax Map 104 Lot 10, Rockingham County Registry of Deeds Book 5165 Page 1138		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u>		
A5. Latitude/Longitude: Lat. <u>42°57'46.6"N</u> Long. <u>70°57'26.1"W</u>		Horizontal Datum: <input type="checkbox"/> NAD 1927 <input checked="" type="checkbox"/> NAD 1983
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number <u>1</u>		
A8. For a building with a crawlspace or enclosure(s):		A9. For a building with an attached garage:
a) Square footage of crawlspace or enclosure(s) _____ sq ft		a) Square footage of attached garage <u>925</u> sq ft
b) No. of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade _____		b) No. of permanent flood openings in the attached garage within 1.0 foot above adjacent grade <u>0</u>
c) Total net area of flood openings in A8.b _____ sq in		c) Total net area of flood openings in A9.b _____ sq in
d) Engineered flood openings? <input type="checkbox"/> Yes <input type="checkbox"/> No		d) Engineered flood openings? <input type="checkbox"/> Yes <input type="checkbox"/> No

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number Exeter, 330130		B2. County Name Rockingham		B3. State NH	
B4. Map/Panel Number 33015C0404	B5. Suffix E	B6. FIRM Index Date 05/17/05	B7. FIRM Panel Effective/Revised Date 05/17/05	B8. Flood Zone(s) AE, X	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) AE - el 33
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. <input checked="" type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other (Describe)					
B11. Indicate elevation datum used for BFE in Item B9: <input checked="" type="checkbox"/> NGVD 1929 <input type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other (Describe)					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date _____ <input type="checkbox"/> CBRS <input type="checkbox"/> OPA					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. Use the same datum as the BFE.
Benchmark Utilized NHDOT 94-25 Vertical Datum NGVD 1929
Conversion/Comments _____

Check the measurement used.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	<u>31.5</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
b) Top of the next higher floor	<u>39.5</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
c) Bottom of the lowest horizontal structural member (V Zones only)	<u>n/a</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
d) Attached garage (top of slab)	<u>n/a</u>	<input type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	<u>31.5</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
f) Lowest adjacent (finished) grade next to building (LAG)	<u>31.3</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
g) Highest adjacent (finished) grade next to building (HAG)	<u>37.1</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	<u>31.1</u>	<input checked="" type="checkbox"/> feet <input type="checkbox"/> meters (Puerto Rico only)

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. ☒ Check here if comments are provided on back of form. Were latitude and longitude in Section A provided by a licensed land surveyor? ☐ Yes ☒ No

Certifier's Name Anne W. Bialobrzewski	License Number NH 752
Title Land Surveyor	Company Name Stockton Services
Address PO Box 1306	City Hampton State NH ZIP Code 03843
Signature <i>Anne W Bialobrzewski</i>	Date 01/25/2011 Telephone 603 929-7404



IMPORTANT: In these spaces, copy the corresponding information from Section A.	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 34 River Bend Circle	Policy Number
City ExeterState NH ZIP Code 03833	Company NAIC Number

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments Water heater on basement floor.
Furnace, washer, dryer elevated 3-4" from basement floor
attached garage sf includes entire basement level per FEMA staff instructions.

Ann W Bialobzowski
Signature

Date 01/25/2011

☐ Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is _____ ☐ feet ☐ meters ☐ above or ☐ below the LAG.
- E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E3. Attached garage (top of slab) is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is _____ ☐ feet ☐ meters ☐ above or ☐ below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. *The statements in Sections A, B, and E are correct to the best of my knowledge.*

Property Owner's or Owner's Authorized Representative's Name

Address	City	State	ZIP Code
Signature	Date	Telephone	
Comments			

☐ Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8 and G9.

- G1. ☐ The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3. ☐ The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: _____ ☐ feet ☐ meters (PR) Datum
- G9. BFE or (in Zone AO) depth of flooding at the building site: _____ ☐ feet ☐ meters (PR) Datum
- G10. Community's design flood elevation _____ ☐ feet ☐ meters (PR) Datum

Local Official's Name	Title
Community Name	Telephone
Signature	Date
Comments	

☐ Check here if attachments

Building Photographs

See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 34 River Bend Circle		For Insurance Company Use: Policy Number
City Exeter State NH ZIP Code 03833		Company NAIC Number
If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.		

Front, Left Side View January 20, 2011



Rear View, January 20, 2011



SENT THE FOLLOWING PICS TO CURTIS CROWE IN 2011

NHDOT Geodetic Control Datasheet

Our Geodetic Control Layer is now online at: <http://mapper.granit.unh.edu/viewer.jsp>

Designation:	94 25	NGS PID #:	
Town/Sequence:	153-0170	Location:	EXETER
		County:	ROCKINGHAM, NH
Coord Source:	NHDPWH	Northing (USft):	169049.31
Horiz Order:	45	Easting (USft):	1174420.13
Datum/Year:	83/96	Mapping Angle:	29' 3.05834"
Superseded coordinates, NAD83/86		Scale Factor:	1.000007984
		Northing (USft):	169049.58
		Easting (USft):	1174419.71
NGVD29 Elevation (ft):	32.68	Vertical Order:	31
NAVD88 Elevation (ft):	31.91	Elevation Type:	DIFF
		Note:	NAVD88 values are lower than NGVD29 values in NH
Last Recovery:		Recovered By:	
Condition:	Good	GPSable?:	
Monumented By:		Year Set:	1968
Marker Type:	Survey Disk	Stamping:	94 25
Monumentation:	BRIDGE ABUTMENT		

THE STATION IS LOCATED IN EXETER.

TO REACH THE STATION FROM THE JUNCTION OF STATE ROUTES 150 AND 108 IN KENSINGTON, GO NORTHEAST FOR 0.15 MI (0.24 KM) ON ROUTE 108 TO THE KENSINGTON/EXETER TOWN LINE. CONTINUE NORTHEAST FOR 0.3 MI (0.5 KM) ON ROUTE 108 TO A BRIDGE OVER THE EXETER RIVER AND THE STATION ON THE LEFT.

THE STATION IS A STANDARD NHDPWH DISK STAMPED--94-25--, SET IN THE NORTHWEST BRIDGE ABUTMENT. 3.2 FT (1.0 M) NORTHEAST FROM THE SOUTHEAST CORNER OF THE WEST BRIDGE ABUTMENT, 1.0 FT (0.3 M) EAST FROM THE WEST EDGE OF THE ABUTMENT, AND 0.3 FT (9.1 CM) SOUTHEAST FROM THE NORTHEAST CORNER OF ABUTMENT.

SKETCH AVAILABLE.

STATION IS UNDER THE GUARDRAIL.

Coordinate and elevation values are expressed in US Survey Feet
Geodetic (True) Azimuth = Grid Azimuth + Mapping Angle

1 meter = 3.2808333 survey feet
Central Meridian in NH = 71 deg 40 min





.1

10ths &
100ths./FT.

.2

25'

.3

Lufkin

.4

.5










TOP OF BRASS ROD IS APPROX 0.05' LOWER THAN CONCRETE WHERE
EDGE OF DISK WOULD HAVE BEEN. ADD 0.02' FOR THICKNESS OF DISK
AT CENTER FOR TOTAL ADJUSTMENT OF 0.07'. REPORTED DISK
ELEVATION 32.676 NGVD LESS 0.07' LEAVES ESTIMATED ELEVATION
OF TOP OF EXISTING BRASS ROD TO BE 32.6' NGVD ON 01/20/2011.








National Flood Insurance Program at 1-800-638-6620.



MAP SCALE 1" = 500'

0 500 1000 FEET



NATIONAL FLOOD INSURANCE PROGRAM

PANEL 0404E

FIRM
FLOOD INSURANCE RATE MAP
ROCKINGHAM COUNTY,
NEW HAMPSHIRE
(ALL JURISDICTIONS)

PANEL 404 OF 601

(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:
COMMUNITY NUMBER: 330130
EXETER TOWN OF KENSINGTON TOWN OF
PANEL SHEET: 0404 E

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown below should be used for insurance applications for the subject community.



MAP NUMBER: 330130C0404E
EFFECTIVE DATE: MAY 17, 2005

Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using a computer program. This map does not reflect changes that have been made to the original map. For the latest product information about National Flood Insurance Program flood maps check the FEMA Flood Map Store at www.nas.fema.gov



Page: 25 of 106



Scale: 35 %

